

The Best of the Basics

Innovation, Quality, and Expertise in Jewelry Making for Nearly 50 Years


At Beadalon, we don't aim to provide everything. We focus on what matters most - exceptional quality and innovation. Unlike wholesalers, we are a factory and the <u>only</u> company in the industry that manufactures its own flexible bead stringing wires, wire wrapping wire, and memory wire in-house in the USA.

We proudly offer a curated selection of premium-quality wires, cords, tools, and stringing supplies, designed exclusively for DIY jewelry making enthusiasts and professionals. With nearly five decades of experience, we carry everything you need to create beautiful jewelry, except the beads.

And while wire is our specialty, Beadalon is much more than just a wire factory. We are a passionate team dedicated to elevating the craft of jewelry making through innovation, education, and best-in-class products. Many of our products are unique, developed from scratch and are not sold under other brands. Though our ideas are often imitated, our quality and value remain unmatched.

Make better jewelry with Beadalon!

Trust the experts. Buy your beads from a bead company. Buy your wire and supplies from the one-and-only true wire factory - Beadalon.



- Nearly 50 years of leadership in the beading and jewelry-making industry.
- Trusted globally for innovation, quality, and strong international brands.
- Offering premium products, many proudly manufactured in the USA.
- Unique, innovative designs—distinct from massproduced imports.
- Pioneers in DIY jewelry education, providing expert tutorials and resources.
- In-depth knowledge of evolving jewelry trends and fashion cycles.



Life is what you *make* it.





Manufacturing Wire in the USA Since 1976







Beadalon is the only company in the industry that manufactures its own flexible bead stringing wires, wire wrapping wire, and memory wire in-house in the USA.



SCAN TO WATCH A TOUR OF OUR FACTORY

Friendly, Knowledgeable Customer Service Representatives are on Staff to Serve You

BEADALON

440 Highlands Blvd. Valley Twp., PA 19320-5808 • USA

Phone: 1-610-466-6000 Toll Free: 1-866-4BEADALON

> 1-866-423-2325 Fax: 1-610-384-7260

Web: www.beadalon.com Email: sales@beadalon.com



f facebook.com/Beadalon

youtube.com/beadalon

instagram.com/Beadalon

pinterest.com/beadalon

TABLE OF CONTENTS IN PAGE NUMBER ORDER

49 Strand Bead Stringing Wires 8-11 19 Strand Bead Stringing Wires 12-15 7 Strand Bead Stringing Wires 16-19 Memory Wire 20-25 German Style / Wrapping Wire 26-29 ColourCraft Wire 30-31 Artistic Wire 32-39

CORDS & STRINGING

<u> </u>	
Elonga	40
Elasticity	41
Silk Threads	
RePeat	
B-Lon	
DandyLine	
SuppleMax	
WildFire	
WildFire Ultra	
Berkley FireLine	
Needles	
Rubber Tubing	
Leather Cords	
Waxed Cords	
Chain	
Adhesives	
HUIIG3IVG3)(

FINDINGS

Lrimp Beaas	50
Crimp Tubes	59-60
EZ-Crimps	61
Crimp Covers	
Scrimp Findings	
Memory Wire Ends	
Findings Variety Packs	
Clasps	64-65
Wire Guardians	
Bead Bumpers	66
French Wire	
Quick Links	68
Instant Pendants	69
Jump Rings	69
Spacers	
Head/Eye Pins	70
Stainless Steel Findings	71
Ear Wires	
Bails	73
Slide Connectors/Extension Chain	7/

TOOLS & STORAGE


Bead Boards	76
Mats	77
Bead Counters	78
Storage	
Magnification	82
Bead Stoppers/Spool Tamers	83
Professional Series Tools	
Designer Series Tools	88-96
Classic Series Tools	97
Crimper Tools	98-99
Econo Series Tools	100-101
Pocket Tools	102
MultiPliers	
Artistic Wire Tools	104-105
Wire-Working Tools	106-112
Jigs	113-121
Hammers	122-123
Reamers	124-125
Thread/Cord Cutters & Accessories	126-127
Tweezers	127
Knotters	128-129
Spin-N-Bead	130
Thread/Cord Tools	131
Looms	
Weaver Tools	133
Kumihimo Tools	134-135

String it once... Wear it a Lifetime

Beadalon miniature bead stringing cable combines the softness and flexibility of thread with the strength and durability of stainless steel. Jewelry made on Beadalon wire is designed to last a lifetime - it's the perfect first choice for stringing designs!

Beadalon Bead Stringing Wire is composed of tiny wires twisted together and nylon coated. The number of tiny wires, also known as strands, determines the flexibility of the wire. The larger the number of strands, the more flexible the wire will be. Therefore, 49 strand is more flexible than 19 strand, and 19 strand is more flexible than 7 strand. When choosing which type of wire to use, consider the amount of drape you want your design to have. 49 strand wire is very supple and will drape elegantly, giving your designs a thread-like appearance. 7 strand wire is not as flexible, but will hold its shape better. If you are new to bead stringing or unsure how much flexibility you require, we recommend starting with our middle grade, 19 strand wire.





49 Strand

FLEXIBILITY GOOD BETTER BEST

Our highest quality wire, Beadalon 49 Strand is the wire with the best flexibility. It is the preferred wire for professional designers who demand premium strength, softness, and flexibility.



19 Strand

FLEXIBILITY GOOD BETTER BEST

Beadalon 19 Strand exhibits better flexibility than Beadalon 7 Strand. Beadalon 19 Strand is the perfect combination of strength, flexibility, and price. Available in a wide variety of sizes and colors.



7 Strand

Good for general beading projects, Beadalon 7 Strand is economically priced, stronger than Tiger Tail, and has an excellent variety of sizes and colors.



Benefits of Beadalon Wire





Beadalon Wire labels clearly indicate the proper size Crimp Beads and Crimp Tube sizes that will fit. Simply match the number on the Beadalon Crimp Beads/ Tubes package to get a perfect fit!

Back labels for 19 & 49 Strand have charts indicating which Beadalon findings work with each diameter of wire.

- Supple & Kink Resistant The higher the number of strands, the softer and more threadlike, i.e. our 49 Strand is the softest wire.
- Abrasion Resistant The wire protects against sharp crystal, gemstone, glass, and metal beads.
- **Knottable** Ties easily like thread.
- 100% Waterproof Stainless Steel withstands fresh and saltwater exposure.
- **UV Resistant** Will not deteriorate in sunlight.
- **Versatile** A wide range of diameters, flexibilities, and colors.

Wire Diameters & Uses

Actual Size	Wire Diam. mm	49 Strand	19 Strand	7 Stran	d	RECOMMENDED USES
	.010 in (0.25 mm)		•	•	.010"	Seed beads, freshwater pearls, and smaller gemstones. For lightweight stringing and bead weaving.
	.012 in (0.30 mm)		•	•	012" / 012"	Crystal beads, seed beads, freshwater pearls. Popular with beads with small holes.
	.013 in (0.33 mm)	•			.012 /.013	Crystal beaus, seed beaus, freshwater pearls. Popular with beaus with small notes.
	.015 in (0.38 mm)	•	•	•	.015"/.018"	Medium to heavy gemstones, crystals, seed beads, glass and metal beads.
	.018 in (0.46 mm)	•	•	•		Most versatile sizes for making necklaces, bracelets and anklets.
	.020 in (0.51 mm)			•	020" / 021"	Large or heavy gemstone beads with unevenly drilled bead holes. For stringing medium-weight designs.
	.021 in (0.53 mm)	•	•	•	.020 /.021	targe or neavy gemsione beads with unevenly drilled bead notes. For stringing meatum-weight designs.
	.024 in (0.61 mm)	•	•	•	004" / 004"	Large or heavy beads with large drill holes such as African trade beads, glass or gemstones.
	.026 in (0.66 mm)			•	.024 /.020	targe or neavy beads with large arill notes such as African trade beads, glass or gemstones.
	.030 in (0.76 mm)	•			.030"/.036"	Large glass beads, medium to large crystals, chunky metal and heavy
	.036 in (0.91 mm)	•				stone beads. Ideal for stringing larger, heavier beads.

Choosing Beadalon Findings

Wire	(8)	MAGNAGER.			
Diameter mm	Crimp Bead No.	Crimp Tube No.	Scrimp® Finding	EZ-Crimp™ Finding	Wire Guardian™
.010 in (0.25 mm)	0, 1	1	Yes	Yes	1, 2
.012 in (0.30 mm)	0, 1	1	Yes	Yes	1, 2
.013 in (0.33 mm)	0, 1	1, 2	Yes	Yes	1, 2
.015 in (0.38 mm)	1	2	Yes	Yes	1, 2
.018 in (0.46 mm)	1	2	Yes	Yes	1, 2
.020 in (0.51 mm)	1	2	Yes	Yes	1, 2
.021 in (0.53 mm)	1	2	Yes	Yes	1, 2
.024 in (0.61 mm)	2, 3	2, 3	No	Yes	2
.026 in (0.66 mm)	2, 3	3, 4	No	No	2
.030 in (0.76 mm)	3	4	No	No	No
.036 in (0.91 mm)	3	4	No	No	No

Design Tips for Using Beadalon Wires

- Use the largest diameter wire possible that will pass through the smallest bead hole in your design.
- Increase bead spacing. Spread contact with the wire over a greater area to reduce the effects of abrasion.
- Choose a wire with the proper breaking strength consistent with the weight and type of beads being used. The diameter of the wire is not always a good indicator of the strength.
- Choose the type of wire with the flexibility that will allow your design to look, feel, and drape the way you want.
- Use Wire Guardians to minimize the effects of abrasion at the clasp. (see photo at right).
- Use Scrimp and EZ-Crimp for maximum connection strength.
- Use Bead Bumpers in between crystals and glass beads to cushion and protect beads from contact and wear and to protect abrasion on the wire.



Bracelet 16 cm-17 cm (6.5"-7")
 Anklet 22 cm-25 cm (9"-10")
 Choker 38 cm-40 cm (15"-16")
 Princess Necklace 45 cm-50 cm (18"-20")
 Matinee Necklace 58 cm-68 cm (23"-27")

Opera Necklace 71 cm+ (28"+)

Attention Retailers

Did you know nearly all Beadalon products are sold in both Retail and Bulk packages?

Retail packages are designed to merchandise, or hang, on pegboard and slatwall displays, and include the products featured in our standard POG's. Retail packages have detailed consumer labeling and are sold in inner pack quantities that fit a 6 inch (15.24 cm) display peg. Simply open the inner pack, load the products on the peg, and there is no backstock. Bulk packages work well for the more traditional bead stores that prefer to sell loose items out of bins, or repack into smaller bags for resale. Regardless how your bead store or beading aisle may be set up, Beadalon has what you need.

Need help deciding which Beadalon products to sell in your store?

We can help! We have many profitable Plan-O-Gram (POG) solutions. Contact our Sales Department (1-866-4BEADALON or sales@beadalon.com) to help you create a custom POG featuring our top selling products designed to increase your sales and profits. You can purchase any of these product groupings as is, or modify them as you like.

Retail Packaging Advantages

- Strong Beadalon brand recognition and advertising campaigns to drive sales.
- Compatible products create additional sales opportunities for you and helps create a self-shop stringing department.
- UPC labeling improves your inventory control and merchandising.







Tools







ColourCraft








FLEXIBILITY GOOD

BETTER





Plated Colors





99.9% Silver Plated=SP 24k Gold Plated=GP

Metallic Colors





Silver Color=S Gold Color=G

Satin Colors













Satin Silver=NS

Satin Gold=NG

Bright=T

Black=B

Bronze Color=Z

White=W



Softest, Most Supple



Maximum Flexibility



Maximum Drape





Standard Colors

Maximum Abrasion Resistance



Superior Strength

Our highest quality wire, Beadalon 49 Strand consists of 49 smaller wires stranded together and nylon-coated for the best flexibility. It is the preferred wire for professional designers who demand premium strength, softness, and flexibility.

49 STRAND WIRE

49 Strand – Plated Colors


Create stunning designs with the luxurious sheen of precious metal. 49 Strand 99.9% Silver Plated and 24k Gold Plated wires combine the softness and flexibility of traditional 49 Strand with the strength of stainless steel. Plated in lustrous Silver and rich 24k Gold, this 49 Strand wire exquisitely showcases your finest findings and beads.

49 Strand - 99.9% Silver Plated

Clear nylon coating over silver plated stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part#
	.015 in (0.38 mm)	20 lb (9.1 kg)	#2	#1	JW10SP- <i>LENGTH</i>
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW11SP- <i>LENGTH</i>
	.024 in (0.61 mm)	40 lb (18.1 kg)	#2, #3	#2, #3	JW12SP- <i>LENGTH</i>

Spool Length Code: 10FT = 10 ft (3.1 m) **1** = 100 ft (31 m)







SCAN TO WATCH A VIDEO ON 49 STRAND TIPS & TRICKS

49 Strand – 24k Gold Plated

Clear nylon coating over 24k gold plated stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.015 in (0.38 mm)	20 lb (9.1 kg)	#2	#1	JW10GP- <i>LENGTH</i>
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW11GP-LENGTH
	.024 in (0.61 mm)	40 lb (18.1 kg)	#2, #3	#2, #3	JW12GP- <i>LENGTH</i>

Spool Length Code: 10FT = 10 ft (3.1 m) 1 = 100 ft (31 m)

99.9% SILVER PLATED



Use Beadalon 49 Strand Plated Stainless Steel wires on designs requiring maximum flexibility, strength, and wire visibility.

24K GOLD PLATED





Gold Color Resembles 18K gold







49 Strand – Metallic Colors

49 Strand drape at value pricing! Achieve a similar look to the popular Beadalon 49 Strand Silver Plated and 24k Gold Plated wire at a fraction of the cost. Plated with real precious silver, 49 Strand Silver Color will make any design look and feel beautiful. Great for wedding jewelry, or your next special design. Made in the USA by Beadalon.

49 Strand – Silver Color

Clear nylon coating over silver plated, tarnish resistant alloy wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.018 in (0.46 mm)	16 lb (7.3 kg)	#2	#1	JW11S- <i>LENGTH</i>
	.024 in (0.61 mm)	24 lb (10.9 kg))	#2, #3	#2, #3	JW12S- <i>LENGTH</i>
Spool Length	Code: 10FT = 10 ft (3.1 m) 0 = 30 ft (9	.2 m) 1 = 1	00 ft (31 m)	

49 Strand – Gold Color

Clear nylon coating over gold colored, tarnish resistant wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part #
	.024 in (0.61 mm)	26 lb (11.8 kg)	#2, #3	#2, #3	JW12G-LENGTH
Spool Length	Code: 10FT = 10 ft	(3.1 m) $0 = 30 \text{ ft } (9)$	9.2 m) 1 = 1	00 ft (31 m)	8 = 1000 ft (305 m)

Silver Color is a value-priced Silver Plated wire.

49 Strand – Satin Colors

Satin Colors give your designs a soft, warm glow of Silver and Gold. The special nylon coating on Satin Colors offers a soft, silky feel and a unique, matte coloring. Use this wire exposed as part of your jewelry, and with plated findings, for added elegance and beauty. Created through our special process, super flexible 49 Strand stainless steel wire is sheathed in a special nylon coating, giving it thread-like flexibility. Your crystal, gemstone, and glass beaded designs will look more elegant and feel as if they were strung on silk. Create designs with the lavish look of Silver and Gold at a fraction of the cost. Made in USA by Beadalon. 🧮

49 Strand – Satin Silver

Silver colored nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.015 in (0.38 mm)	13 lb (5.9 kg)	#2	#1	JW10NS-LENGTH
	.018 in (0.46 mm)	20 lb (9.1 kg)	#2	#1	JW11NS- <i>LENGTH</i>
	.024 in (0.61 mm)	26 lb (11.8 kg)	#2, #3	#2, #3	JW12NS- <i>LENGTH</i>
Spool Length	Code: 10FT = 10 ft (3.1	m) 0 = 30 ft (9.2 m)	1=1	00 ft (31 m)	8 = 1000 ft (305 m)

49 Strand - Satin Gold

Gold colored nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.015 in (0.38 mm)	13 lb (5.9 kg)	#2	#1	JW10NG- <i>LENGTH</i>
	.018 in (0.46 mm)	20 lb (9.1 kg)	#2	#1	JW11NG- <i>LENGTH</i>
	.024 in (0.61 mm)	26 lb (11.8 kg)	#2, #3	#2, #3	JW12NG- <i>LENGTH</i>
Spool Length	Code: 10FT = 10 ft (3.1	m) $0 = 30 \text{ ft (9.2 m)}$	1 = 1	00 ft (31 m)	8 = 1000 ft (305 m)

The special nylon coating on Satin Colors offers a soft, silky feel and a unique, matte coloring.

49 STRAND WIRE

49 Strand – Standard Colors

49 Strand combines the flexibility and softness of thread with the strength and durability of stainless steel wire. Specially designed for stringing ceramic, crystal, metal, and stone beads - as well as seed beads and freshwater pearls - Beadalon 49 Strand is the softest and most flexible of all Beadalon varieties. Designs fashioned from Beadalon 49 Strand drape very naturally without kinking. Beadalon 49 Strand is the finest choice wire for creating jewelry designs that look professional and remain secure. The smooth nylon coating provides good abrasion resistance, prevents kinking, and prolongs strand life. Beadalon 49 Strand is so soft and flexible, you can knot it. Made in USA by Beadalon.

49 Strand - Bright

Clear nylon coating over bright stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.013 in (0.33 mm)	13 lb (5.9 kg)	#1	#0, #1	JW18T- <i>LENGTH</i>
	.015 in (0.38 mm)	20 lb (9.1 kg)	#2	#1	JW10T- <i>LENGTH</i>
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW11T- <i>LENGTH</i>
	.021 in (0.53 mm)	26 lb (11.8 kg)	#2	#1	JW22T-LENGTH
	.024 in (0.61 mm)	40 lb (18.1 kg)	#2, #3	#2, #3	JW12T- <i>LENGTH</i>
	.030 in (0.76 mm)	29.5 (65 lb)	#4	#3	JW20T-LENGTH
	.036 in (0.91 mm)	90 lb (40.8 kg)	#4	#3	JW21T- <i>LENGTH</i>

Spool Length Code:

10FT = 10 ft (3.1 m) $\mathbf{0}$ = 30 ft (9.2 m) $\mathbf{1}$ = 100 ft (31 m) 8 = 1000 ft (305 m)

49 Strand - Black

Black nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.013 in (0.33 mm)	13 lb (5.9 kg)	#1	#0, #1	JW18B- <i>LENGTH</i>
	.015 in (0.38 mm)	20 lb (9.1 kg)	#2	#1	JW10B-LENGTH
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW11B- <i>LENGTH</i>
	.024 in (0.61 mm)	40 lb (18.1 kg)	#2, #3	#2, #3	JW12B- <i>LENGTH</i>
	.036 in (0.91 mm)	90 lb (40.8 kg)	#4	#3	JW21B- <i>LENGTH</i>

Spool Length Code:

10FT = 10 ft (3.1 m) **0** = 30 ft (9.2 m) **1** = 100 ft (31 m) 8 = 1000 ft (305 m)

49 Strand – Bronze Color

Clear nylon coating over bronze colored stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.013 in (0.33 mm)	13 lb (5.9 kg)	#1	#0, #1	JW18Z- <i>LENGTH</i>
	.015 in (0.38 mm)	20 lb (9.1 kg)	#2	#1	JW10Z-LENGTH
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW11Z-LENGTH
	.024 in (0.61 mm)	40 lb (18.1 kg)	#2, #3	#2, #3	JW12Z-LENGTH
C I I	c. 1.				

Spool Length Code:

10FT = 10 ft (3.1 m) **0** = 30 ft (9.2 m) **1** = 100 ft (31 m) 8 = 1000 ft (305 m)

49 Strand – White

White nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.015 in (0.38 mm)	13 lb (5.9 kg)	#2	#1	JW10W-LENGTH
	.018 in (0.46 mm)	20 lb (9.1 kg)	#2	#1	JW11W- <i>LENGTH</i>
	.024 in (0.61 mm)	26 lb (11.8 kg)	#2, #3	#2, #3	JW12W-LENGTH

Spool Length Code:

8 = 1000 ft (305 m) 0 = 30 ft (9.2 m)



Beadalon is the **ONLY** company that manufactures seven diameters of 49 Strand wire.






FLEXIBILITY GOOD

BETTER

BEST







Sterling Silver=STG

99.9% Silver Plated=SP



24k Gold Plated=GP





Silver Color=S



Gold Color=G



Satin Silver=NS



Satin Gold=NG



Satin Copper=NCU

Standard Colors



Bright=T



Black=B



Bronze Color=Z



White=W



Softer, More Supple





Excellent Drape





Excellent Abrasion Resistance



Superior Strength



19 Strand - Solid .925 Sterling Silver

Soft, flexible, and pure .925 Sterling Silver. This wire is for the purist beader who requires the high flexibility of 19 Strand, in precious solid Sterling Silver. A thin, smooth, crystal clear layer of nylon gently covers this wire to prolong strand life and prevent kinking. The beauty of this fine wire is unsurpassed by any other beading wire on the market. Due to the extreme softness, we recommend reserving this .925 Solid Sterling Silver wire for your finest quality, most precious designs. For extended-wear designs, we recommend using our stronger, and more abrasion resistant Silver Plated 19 Strand or our value-priced silver plated wire, Silver Color 19 Strand.

19 Strand – Solid .925 Solid Sterling Silver

Clear nylon coating over .925 sterling silver wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#	
	.024 in (0.61 mm)	12 lb (5.4 kg)	#2.#3	#2.#3	JW17STG-10FT	

Beadalon 19 Strand Solid .925 Sterling Silver is recommended for use on the most precious designs requiring better flexibility and wire visibility.

www.beadalon.com Beadalon 1-866-423-2325

19 Strand - Plated Colors

Combine the flexibility and strength of 19 Strand wire with the luster of precious metal. Supple 19 Strand stainless steel wire is plated with 99.9% Silver or 24k Gold precious metal, then coated with clear, soft nylon. Choose brilliant Silver Plated wire to coordinate with sterling and silver plated findings. Glimmering 24k Gold Plated wire complements gold and plated metal jewelry components for finer quality jewelry designs.

19 Strand – 99.9% Silver Plated

Clear nylon coating over silver plated stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part #
	.015 in (0.38 mm)	17 lb (7.7 kg)	#2	#1	JW14SP-LENGTH
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW15SP-LENGTH
	.024 in (0.61 mm)	48 lb (21.8 kg)	#2, #3	#2, #3	JW17SP-LENGTH
Spool Length	Code: 15FT = 15 ft (4	.5 m) 1 = 100 ft (3	31 m) 8 = 1	000 ft (305 m)	

19 Strand – 24k Gold Plated

Clear nylon coating over 24k gold plated stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part#
	.015 in (0.38 mm)	17 lb (7.7 kg)	#2	#1	JW14 <i>GP-LENGTH</i>
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW15GP-LENGTH
	.024 in (0.61 mm)	48 lb (21.8 kg)	#2, #3	#2, #3	JW17GP-LENGTH

Spool Length Code: 15FT = 15 ft (4.5 m) **1** = 100 ft (31 m)



GET THE FACTS ON PRECIOUS METAL AND PLATED BEADING WIRES

Some brands advertise their beading wire to be .925 Sterling Silver, when in fact, it is silver plated. We offer 3 choices:

- SOLID .925 Sterling Silver wire
- Fine 99.9% Silver Plated Stainless Steel wire
- Fine Silver Plated Alloy wire, Silver Color

99.9% SILVER PLATED



Beadalon 19 Strand Plated Stainless Steel wires are for use on designs requiring better flexibility, strength, and wire visibility.

24K GOLD PLATED



Silver Color is a VALUE-PRICED SILVER PLATED wire.



Gold Color Resembles 18K gold





19 Strand – Metallic Colors

Metallic Colors combine the rich look and brilliant shine of gold and silver with the dramatic flexibility and softness of 19 Strand. Silver Color is a value-priced Silver Plated wire. It is comprised of a blend of tarnish resistant metals which have slightly lower breaking strengths than other Beadalon 19 Strand stainless steel wires. Use the Metallic Color wires with silver and gold color findings to render the shimmer of fine jewelry. Made in USA by Beadalon.

19 Strand – Silver Color

Clear nylon coating over silver plated, tarnish resistant alloy wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.012 in (0.30 mm)	6 lb (2.7 kg)	#1	#0, #1	JW09S- <i>LENGTH</i>
	.015 in (0.38 mm)	14 lb (6.3 kg)	#2	#1	JW14S-LENGTH
	.018 in (0.46 mm)	16 lb (7.3 kg)	#2	#1	JW15S-LENGTH
	.024 in (0.61 mm)	16 lb (7.3 kg)	#2, #3	#2, #3	JW17S-LENGTH
Spool Length	Code: 15FT = 15 ft (4	5 m) $0 = 30 \text{ ft } (9)$	2 m) 1 = 1	00 ft (31 m)	8 = 1000 ft (305 m)

19 Strand - Gold Color

Clear nylon coating over gold colored, tarnish resistant alloy wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.015 in (0.38 mm)	14 lb (6.3 kg)	#2	#1	JW14G- <i>LENGTH</i>
	.018 in (0.46 mm)	14 lb (6.3 kg)	#2	#1	JW15G- <i>LENGTH</i>
	.024 in (0.61 mm)	14 lb (6.3 kg)	#2, #3	#2, #3	JW17G-LENGTH
Spool Length	Code: 15FT = 15 ft (4	.5 m) 0 = 30 ft (9.2	2 m) 1 = 1	00 ft (31 m)	8 = 1000 ft (305 m)

19 Strand – Satin Colors

The special nylon coating on Satin Colors offers a soft, silky feel and a unique, matte coloring. Use this wire exposed as part of your jewelry, and with plated findings, for added elegance and beauty. Your crystal, gemstone, and glass beaded designs will look more elegant and feel as if they were strung on silk. Create designs with the lavish look of Silver, Gold, and Copper at a fraction of the cost. Made in USA by Beadalon.

19 Strand - Satin Gold

Gold colored nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.012 in (0.30 mm)	7 lb (3.2 kg)	#1	#0, #1	JW09NG-LENGTH
	.015 in (0.38 mm)	12 lb (5.4 kg)	#2	#1	JW14NG- <i>LENGTH</i>
	.018 in (0.46 mm)	17 lb (7.7 kg)	#2	#1	JW15NG- <i>LENGTH</i>
Spool Length	Code: 0 = 30 ft (9.2 m)	1 = 100 ft (31 m)	8 = 1	000 ft (305 m)	

19 Strand – Satin Silver

Silver colored nylon coating over stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part #
	.012 in (0.30 mm)	7 lb (3.2 kg)	#1	#0, #1	JW09NS- <i>LENGTH</i>
	.015 in (0.38 mm)	12 lb (5.4 kg)	#2	#1	JW14NS- <i>LENGTH</i>
	.018 in (0.46 mm)	17 lb (7.7 kg)	#2	#1	JW15NS- <i>LENGTH</i>
	.024 in (0.61 mm)	26 lb (11.8 kg)	#2, #3	#2, #3	JW17NS- <i>LENGTH</i>
Spool Length	Code: 0 = 30 ft (9.2 m)	1 = 100 ft (31 m)	8 = 1	000 ft (305 m)	

19 Strand – Satin Copper

Copper colored nylon coating over stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part#
	.015 in (0.38 mm)	12 lb (5.4 kg)	#2	#1	JW14NCU- <i>LENGTH</i>
	.018 in (0.46 mm)	17 lb (7.7 kg)	#2	#1	JW15NCU- <i>LENGTH</i>
Spool Length	Code: 0 = 30 ft (9.2 m)	1 = 100 ft (31 m)			

19 Strand – Standard Colors

Specifically developed for bead stringing, Beadalon 19 Strand is an ideal choice for creating treasures with seed beads, freshwater pearls, and ceramic, crystal & stone beads. Only slightly more expensive than Beadalon 7 Strand, but much more flexible, this wire contains 19 strands of strong stainless steel. Nyloncoated for increased kink and abrasion resistance, Beadalon 19 Strand is easy to work with, super strong, and renders secure jewelry that lasts. Beadalon 19 Strand is also available in smaller diameters for crafting finer, more delicate pieces. Extra-supple Beadalon 19 Strand is the perfect stringing material for designing superior-quality anklets, bracelets, necklaces, earrings, and more. Made in USA by Beadalon.

19 Strand - Bright

Clear nylon coating over bright stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.010 in (0.25 mm)	7 lb (3.2 kg)	#1	#0	JW19T- <i>LENGTH</i>
	.012 in (0.30 mm)	12 lb (5.4 kg)	#1	#0, #1	JW09T- <i>LENGTH</i>
	.015 in (0.38 mm)	17 lb (7.7 kg)	#2	#1	JW14T- <i>LENGTH</i>
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW15T- <i>LENGTH</i>
	.021 in (0.53 mm)	35 lb (15.9 kg)	#2	#1	JW16T- <i>LENGTH</i>
	.024 in (0.61 mm)	48 lb (21.8 kg)	#2, #3	#2, #3	JW17T- <i>LENGTH</i>

Spool Length Code: 0 = 30 ft (9.2 m) **15FT** = 15 ft (4.5 m) 1 = 100 ft (31 m)

8 = 1000 ft (305 m) 9 = 5000 ft (1525 m)

19 Strand - Black

Black nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.012 in (0.30 mm)	12 lb (5.4 kg)	#1	#0, #1	JW09B- <i>LENGTH</i>
	.015 in (0.38 mm)	17 lb (7.7 kg)	#2	#1	JW14B- <i>LENGTH</i>
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW15B- <i>LENGTH</i>
	.024 in (0.61 mm)	48 lb (21.8 kg)	#2, #3	#2, #3	JW17B- <i>LENGTH</i>
Spool Length	Code: 0 = 30 ft (9.2 m	1) 1 = 100 ft (31 m)	8 = 100	0 ft (305 m)	

19 Strand – Bronze Color

Clear nylon coating over bronze colored stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part #
	.012 in (0.30 mm)	12 lb (5.4 kg)	#1	#0, #1	JW09Z-LENGTH
	.015 in (0.38 mm)	17 lb (7.7 kg)	#2	#1	JW14Z-LENGTH
	.018 in (0.46 mm)	26 lb (11.8 kg)	#2	#1	JW15Z- <i>LENGTH</i>
Spool Length	Code: 0 = 30 ft (9.2 m)	1 = 100 ft (31 m)	8 = 100	0 ft (305 m)	

19 Strand – White

White nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.015 in (0.38 mm)	12 lb (5.4 kg)	#2	#1	JW14W-LENGTH
	.018 in (0.46 mm)	17 lb (7.7 kg)	#2	#1	JW15W-LENGTH

Spool Length Code: 0 = 30 ft (9.2 m) 8 = 1000 ft (305 m)

Beadalon is the only company that makes its own wire and flexible bead stringing wire in-house in the USA.










FLEXIBILITY



BETTER

BEST



.925 Sterling



Sterling Silver=STG



Silver Color=S



Gold Color=G



SilverGold=SG

Beadalon 7 Strand is made up of 7 strands of wire incorporated within a protective, abrasion resistant nylon coating. Good for

general beading projects, Beadalon 7 Strand is economically priced and stronger than Tiger Tail.





Satin Silver=NS



Satin Gold=NG



Satin Copper=NCU

Clear Colors





Green=GR



Pink=PK



Purple=PU



Red=RD

Standard Colors











White=W



Softer than Tiger Tail



Good Flexibility



Good Kink Resistance



Good Abrasion Resistance



Excellent Strength



7 Strand – Solid .925 Sterling Silver

Now you can retain the beauty of pure sterling silver throughout your entire design. Use this pure, solid .925 Sterling Silver beading wire with sterling components to make precious, classic jewelry. Seven strands of solid .925 Sterling Silver wire are stranded together, then covered with a smooth, clear nylon coating for increased abrasion and kink resistance. We recommend using this solid .925 Sterling Silver wire for your finer quality, more precious beaded jewelry. For added strength and abrasion resistance that extended-wear designs require, we suggest using our value-priced silver plated wire, Silver Color.

7 Strand – Solid .925 Sterling Silver

Clear nylon coating over .925 Sterling Silver wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Part#
	.015 in (0.38 mm)	7 lb (3.2 kg)	#2	#1	JW02STG-10FT
	.018 in (0.46 mm)	7 lb (3.2 kg)	#2	#1	JW03STG-10FT

Metallic Colors reflect light and provide brilliant shine. These wires provide the appearance of precious metal, but without the cost. The 7 Strand construction holds its shape well and is good for general beaded designs. For increased flexibility and softness, we suggest using Beadalon 19 Strand Metallic Colors (p. 14). Made in USA by Beadalon. 🧮

7 Strand – Silver Color

7-Strand - Metallic Colors

Clear nylon coating over silver plated, tarnish resistant alloy wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part#
	.012 in (0.30 mm)	5.5 lb (2.5 kg)	#1	#0, #1	JW01S- <i>LENGTH</i>
	.015 in (0.38 mm)	10 lb (4.5 kg)	#2	#1	JW02S- <i>LENGTH</i>
	.018 in (0.46 mm)	12 lb (5.4 kg)	#2	#1	JW03S- <i>LENGTH</i>
	.024 in (0.61 mm)	12 lb (5.4 kg)	#2, #3	#2, #3	JW06S-LENGTH
Spool Length	Code: 0 = 30 ft (9.2 m)	1 = 100 ft (31 m)	8 = 1	000 ft (305 m)	

7 Strand – Gold Color

Clear nylon coating over gold colored, tarnish resistant alloy wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.012 in (0.30 mm)	5.5 lb (2.5 kg)	#1	#0, #1	JW01G- <i>LENGTH</i>
	.015 in (0.38 mm)	9 lb (4.1 kg)	#2	#1	JW02G- <i>LENGTH</i>
	.018 in (0.46 mm)	10 lb (4.5 kg)	#2	#1	JW03G- <i>LENGTH</i>
	.020 in (0.51 mm)	10 lb (4.5 kg)	#2	#1	JW04G- <i>LENGTH</i>
	.024 in (0.61 mm)	10 lb (4.5 kg)	#2, #3	#2, #3	JW06G- <i>LENGTH</i>
Spool Length	Code: $0 = 30 \text{ ft } (9.2 \text{ m})$	1 = 100 ft (31 m)	8 = 1	000 ft (305 m)	

7 Strand – SilverGold™ **EXCLUSIVEI**

Clear nylon coating over alternating silver plated and gold colored tarnish resistant alloy wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.015 in (0.38 mm)	9 lb (4.1 kg)	#2	#1	JW02SG- <i>LENGTH</i>
	.018 in (0.46 mm)	9 lb (4.1 kg)	#2	#1	JW03SG- <i>LENGTH</i>

Spool Length Code: 0 = 30 ft (9.2 m) 8 = 1000 ft (305 m)



Life is what you *make* it.

Three Metallic Colors to choose from!



Silver Color is a VALUE-PRICED SILVER PLATED wire.



Gold Color Resembles 18K gold













Get six colors together with the Beadalon 7 Strand Clear Colors assorted pack. Included is one 30-foot (9.2 m) spool of .015" (0.38 mm) Clear Color wire in Blue, Green, Pink, Purple, Red, and Standard Color Black.

7 Strand – Satin Colors **EXCLUSIVEI**

Satin Colors are wires nylon coated in soft, matte shades of Silver, Gold, and Copper. This value-priced colored bead stringing wire gives you the look of Silver, Gold, and Copper without the cost of plating or precious metal. The unique nylon color-coating provides your designs with added kink resistance, and works especially well for bracelets and other designs that require less drape. The wire beneath the coating is our dependable, 7 strand stainless steel that is stronger and more flexible than Tiger Tail. For better flexibility, kink resistance, and softness, consider using 19 Strand Satin Color (p. 14). Made in USA by Beadalon.

7 Strand – Satin Silver

Silver colored nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
Size	Diameter	Dieak	lube	Deau	rait#
	.012 in (0.30 mm)	7 lb (3.2 kg)	#1	#0, #1	JW01NS- <i>LENGTH</i>
	.015 in (0.38 mm)	12 lb (5.4 kg)	#2	#1	JW02NS-LENGTH
	.018 in (0.46 mm)	15 lb (6.8 kg)	#2	#1	JW03NS-LENGTH
Spool Length	Code: 20FT = 20 ft (6.1 m) 0 = 30 ft (9.2 m) 1	= 100 ft (31 m)	8 = 1000 ft (305 m)

7 Strand - Satin Gold

Gold colored nylon coating over stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part#
	.012 in (0.30 mm)	7 lb (3.2 kg)	#1	#0, #1	JW01NG- <i>LENGTH</i>
	.015 in (0.38 mm)	12 lb (5.4 kg)	#2	#1	JW02NG- <i>LENGTH</i>
	.018 in (0.46 mm)	15 lb (6.8 kg)	#2	#1	JW03NG-LENGTH
Spool Length	Code: 0 = 30 ft (9.2 r	m) 1 = 100 ft (31 n	1)	8 = 1000 ft (305 m)	

7 Strand – Satin Copper

Copper colored nylon coating over stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part #
	.015 in (0.38 mm)	12 lb (5.4 kg)	#2	#1	JW02NCU- <i>LENGTH</i>
	.018 in (0.46 mm)	15 lb (6.8 kg)	#2	#1	JW03NCU- <i>LENGTH</i>
Spool Lengtl	h Code: 0 = 30 ft (9.2 r	m) 1 = 100 ft (31 m	1)	8 = 1000 ft (305 m)	

7 Strand – Clear Colors **EXCLUSIVEI**

Complement gemstone and glass bead colors with Beadalon 7 Clear Colors. This wire is nylon coated in translucent shades of Blue, Green, Pink, Purple, and Red. The nylon coating on Clear Colors allows light to pass through and reflect off the bright stainless steel wire for a spark of color that makes beaded designs come alive. Show a little or a lot of Clear Colors wire in your jewelry designs. Use this wire as a fun, out-of-the-ordinary design element. Sold individually and also available in six pack assortment. Made in USA by Beadalon.

7 Strand – Clear Colors

Translucent colored nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Color	Part #
	· .015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	Blue	JW02L-0
	.015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	Green	JW02GR-0
	.015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	Pink	JW02PK-0
	.015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	Purple	JW02PU-0
	.015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	Red	JW02RD-0
	.015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	Assorted	JW02-ASST

7 Strand – Standard Colors

Softer than Tiger Tail and more supple for a smoother drape, Beadalon 7 Strand encases 7 strands of fine-diameter stainless steel wire within a kinkresistant nylon coating. It is abrasion resistant for longer lasting stringing results. Beadalon 7 Strand holds its shape, is easy to work with, very strong, and renders secure jewelry that lasts. Use Beadalon 7 Strand for most general beading and craft designs. Made in USA by Beadalon. 🚞

7 Strand – Bright

Clear nylon coating over bright stainless steel wire.

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.010 in (0.25 mm)	7 lb (3.2 kg)	#1	#0	JW00T- <i>LENGTH</i>
	.012 in (0.30 mm)	12 lb (5.4 kg)	#1	#0, #1	JW01T- <i>LENGTH</i>
	.015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	JW02T- <i>LENGTH</i>
	.018 in (0.46 mm)	20 lb (9.1 kg)	#2	#1	JW03T- <i>LENGTH</i>
	.020 in (0.51 mm)	20 lb (9.1 kg)	#2	#1	JW04T- <i>LENGTH</i>
	.024 in (0.61 mm)	20 lb (9.1 kg)	#2, #3	#2, #3	JW06T-LENGTH
Spool Length	Code: 0 = 30 ft (9.2 r 9 = 5000 ft (15	,	m) 4 = 30	00 ft (91 m)	8 = 1000 ft (305 m)

7 Strand – Black

Black nylon coating over stainless steel wire

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part#
	.012 in (0.30 mm)	12 lb (5.4 kg)	#1	#0, #1	JW01B- <i>LENGTH</i>
	.015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	JW02B- <i>LENGTH</i>
	.018 in (0.46 mm)	20 lb (9.1 kg)	#2	#1	JW03B- <i>LENGTH</i>
Spool Length	Code: 0 = 30 ft (9.2 n	n) 1 = 100 ft (31 m	4 = 30	00 ft (91 m)	8 = 1000 ft (305 m)

7 Strand – Bronze Color

Clear nylon coating over bronze colored stainless steel wire.

Actual			Crimp	Crimp	Base
Size	Diameter	Break	Tube	Bead	Part #
	.012 in (0.30 mm)	12 lb (5.4 kg)	#1	#0, #1	JW01Z- <i>LENGTH</i>
	.015 in (0.38 mm)	15 lb (6.8 kg)	#2	#1	JW02Z-LENGTH
	.018 in (0.46 mm)	20 lb (9.1 kg)	#2	#1	JW03Z- <i>LENGTH</i>
Spool Lengtl	h Code: 0 = 30 ft (9.2 r	m) 1 = 100 ft (31 m	8 = 10	000 ft (305 m)	

7 Strand – White

White nylon coating over stainless steel wire

Actual Size	Diameter	Break	Crimp Tube	Crimp Bead	Base Part#
	.015 in (0.38 mm)	12 lb (5.4 kg)	#2	#1	JW02W-LENGTH
	.018 in (0.46 mm)	15 lb (6.8 kg)	#2	#1	JW03W-LENGTH

Spool Length Code: 0 = 30 ft (9.2 m) 8 = 1000 ft (305 m)



Memory Wire

ROUND

FLAT

Memory Wire is one of the easiest stringing materials to use. Because of its hard temper, it holds its shape. It is incredibly easy to finish-off as well - you can simply use a Round Nose Pliers or Memory Wire Finishing Pliers to turn the ends into a small loop, or choose from a variety of findings specifically designed to finish Memory Wire. Beadalon offers two types of memory wire:

Remembrance Memory Wire is stainless steel wire, made into coils, and sized for rings, bracelets, and necklaces. The diameters are given in ranges to account for the variations in the manufacturing process. Remembrance is the only stainless steel memory wire <u>Made in the USA</u>, by Beadalon, and is the highest quality available.

Plated Steel Memory Wire is a carbon steel wire that has been plated with silver, antique brass color, and gold color. It is made into coils, and sized for rings, bracelets, and necklaces. The diameters are given in ranges to account for the variations in the manufacturing process. This wire is ideal when you want the shimmer and shine of a plated wire.

		MADE IN USA	I			
	SIZE	Stainless Steel	Silver Plated	Gold Color	Rose Gold Color	Antique Brass
	Ring	✓	✓	✓		
	Bracelet	✓				
	Large Bracelet	✓	✓	✓	✓	✓
R	X-Large Bracelet	✓				
O	Necklace	✓	✓	✓	✓	
U	Extra Large Necklace	✓	✓	✓	✓	
N	Oval Bracelet		✓	✓		✓
D	Large Oval Bracelet		✓	✓		
	X-Heavy Duty	✓	✓	✓	✓	
F	Ring		✓	✓		
Ĺ	Large Bracelet		✓	✓		
T	Necklace		✓	✓		



We proudly manufacture our own Stainless Steel Memory Wire in the USA. We also offer value-priced imported carbon steel memory wire.

To help you find the perfect match for your needs, use this comparison chart below.

	Carbon Steel	
Memory Wire Size	Part #	
Ring	347B-010	
Bracelet	347B-041	
Bracelet - Large	347B-051	
Bracelet - Extra Large	347B-061	
Necklace	347B-150	
Necklace - Large	347B-058	
	Ring Bracelet Bracelet - Large Bracelet - Extra Large Necklace	

A. Ring - Carbon Steel

Wire	Approx. Coil	Approx. Coils	Plating/	Pack Size	
Diameter	Diameter	Per Pack	Color	Ounce	Part#
.025 in (0.64 mm)	0.80 in (2 cm)	99	Silver	0.50	347B-010
.025 in (0.64 mm)	0.80 in (2 cm)	99	Gold	0.50	347A-010

B. Medium Bracelet - Carbon Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.025 in (0.64 mm)	2 in (5.1 cm)	73	Silver	1 oz	347B-041
.025 in (0.64 mm)	2 in (5.1 cm)	73	Gold	1 oz	347A-041

C. Large Bracelet - Carbon Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coil Per Pack	s Plating/ Color	Pack Size	Part#
.025 in (0.64 mm)	2.25 in (5.7 cm)	30	Silver	0.50	347B-050
.025 in (0.64 mm)	2.25 in (5.7 cm)	30	Gold	0.50	347A-050
.025 in (0.64 mm)	2.25 in (5.7 cm)	30	Antique Brass	0.50	347R-050
.025 in (0.64 mm)	2.25 in (5.7 cm)	30	Silver Plated Rose Gold	0.50	347L-050
.025 in (0.64 mm)	2.25 in (5.7 cm)	65	Silver	1 oz	347B-051
.025 in (0.64 mm)	2.25 in (5.7 cm)	65	Gold	1 oz	347A-051

D. X-Large Bracelet - Carbon Steel

Wire	Approx. Coil	Approx. Coils	Plating/	Pack Size	
Diameter	Diameter	Per Pack	Color	Ounce	Part#
.025 in (0.64 mm)	2.5 in (6.3 cm)	62	Silver	1 oz	347B-061
.025 in (0.64 mm)	2.5 in (6.3 cm)	62	Gold	1 oz	347A-061

E. XX-Large Bracelet - Carbon Steel


Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.025 in (0.64 mm)	2.75 in (7.0 cm)	56	Silver	1 oz	347B-081
.025 in (0.64 mm)	2.75 in (7.0 cm)	56	Gold	1 oz	347A-081

F. Necklace- Carbon Steel

Wire	Approx. Coil	Approx. Coil	s Plating/	Pack Size	<u> </u>
Diameter	Diameter	Per Pack	Color	Ounce	Part#
.025 in (0.64 mm)	4 in (10.1 cm)	18	Silver	0.50	347B-150
.025 in (0.64 mm)	4 in (10.1 cm)	18	Gold	0.50	347A-150
.025 in (0.64 mm)	4 in (10.1 cm)	18	Silver Plated Rose Gol	d 0.50	347L-150

G. Large Bracelet & End Cap Kit - Carbon Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	End Caps	Part#
.025 in (0.64 mm)	2.25 in (5.7 cm)	12	Silver	8 pc	347B-151
.025 in (0.64 mm)	2.25 in (5.7 cm)	12	Gold	8 pc	347A-151



Kit includes End Caps!







A LARGE BRACELET - X-HEAVY DUTY 2.25 - 2.63 in (5.7 - 6.7 cm)

B XL NECKLACE - X-HEAVY DUTY 4 50 - 5 13 in (11 4 - 13 0 cm)

> D OVAL BRACELET 2.1 x 2.5 in (5.3 x 6.3 cm)

E OVAL LARGE BRACELET 2.3 x 3.0 in (5.8 x 7.6 cm)

A. Large Bracelet - Extra Heavy-Duty Diameter - Carbon Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.040 in (1.0 mm)	2.25 in (5.7 cm)	9	Silver Plated	0.50	347B-058
.040 in (1.0 mm)	2.25 in (5.7 cm)	9	Gold Color	0.50	347A-058
.040 in (1.0 mm)	2.25 in (5.7 cm)	9	Rose Gold Color	0.50	347L-058

B. X-Large Necklace - Extra Heavy-Duty Diameter - Carbon Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.040 in (1.0 mm)	4.75 in (12.1 cm)	5	Silver Plated	0.50	347B-168
.040 in (1.0 mm)	4.75 in (12.1 cm)	5	Gold Color	0.50	347A-168
.040 in (1.0 mm)	4.75 in (12.1 cm)	5	Rose Gold Color	0.50	347L-168

C. Assorted Memory Wire Pack - Carbon Steel

Memory Wire, Round, Assorted Sizes, Ring 0.70 in-0.87 in, X Small Bracelet 1.20 in-1.55 in, Bracelet 1.75 in-2.20 in, Sm Necklace 3.35 in-3.60 in, Gold Color, 0.5 oz (14 g)

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.025 in (0.64 mm)	4 Assorted Sizes	30/oz	Silver	0.50	347B-199
.025 in (0.64 mm)	4 Assorted Sizes	30/oz	Gold	0.50	347A-199



D. Oval Bracelet - Carbon Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.025 in (0.64 mm)	2.1 x 2.5 in (5.3 x 6.3 cm)	23	Silver	0.35	347B-440
.025 in (0.64 mm)	2.1 x 2.5 in (5.3 x 6.3 cm)	23	Gold	0.35	347A-440
.025 in (0.64 mm)	2.1 x 2.5 in (5.3 x 6.3 cm)	23	Antique Brass	0.35	347R-440

E. Oval Large Bracelet - Carbon Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.025 in (0.64 mm)	2.3 x 3.0 in (5.8 x 7.6 cm)	20	Silver	0.35	347B-450
.025 in (0.64 mm)	2.3 x 3.0 in (5.8 x 7.6 cm)	20	Gold	0.35	347A-450

A. Ring - Flat - Carbon Steel

	Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.020	x .050 in (0.50 x 1.2 mm)	.080 in (2.0 cm)	33	Gold	0.35	347A-020
.020	x .050 in (0.50 x 1.2 mm)	.080 in (2.0 cm)	33	Silver	0.35	347B-020

B. Large Bracelet - Flat - Carbon Steel


Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.020 x .050 in (0.50 x 1.2 mm)	2.75 in (7.0 cm)	12	Gold	0.35	347A-070
.020 x .050 in (0.50 x 1.2 mm)	2.75 in (7.0 cm)	12	Silver	0.35	347B-070

C. Necklace - Flat - Carbon Steel


Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Plating/ Color	Pack Size Ounce	Part#
.020 x .050 in (0.50 x 1.2 mm)	3.75 in (9.5 cm)	7	Gold	0.35	347A-170
.020 x .050 in (0.50 x 1.2 mm)	3.75 in (9.5 cm)	7	Silver	0.35	347B-170











X-LG. BRACELET 2.63"- 3.13" 6.7 cm-7.9 cm



The Beadalon difference is, we MAKE it. Remembrance is the **ONLY** Memory Wire Still Proudly Made in USA!



A. Ring - Stainless Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Color	Pack Size Ounce	Part#
.025 in (0.64 mm)	0.80 in (2 cm)	195	Bright	1 oz	JMRT-1Z
.025 in (0.64 mm)	0.80 in (2 cm)	195/oz	Bright	7.5-8.5 oz	JMRT-BULK

B. Bracelet - Stainless Steel

Wire	Approx. Coil	Approx. Coils		Pack Size	
Diameter	Diameter	Per Pack	Color	Ounce	Part#
.025 in (0.64 mm)	2 in (5.1 cm)	75	Bright	1 oz	JMBT-1Z
.025 in (0.64 mm)	2 in (5.1 cm)	75/oz	Bright	7.5-8.5 oz	JMBT-BULK

C. Large Bracelet - Stainless Steel

Wire	Approx. Coil	Approx. Coils		Pack Size	
Diameter	Diameter	Per Pack	Color	Ounce	Part#
.025 in (0.64 mm)	2.5 in (6.3 cm)	60	Bright	1 oz	JMBT-1ZLG
.025 in (0.64 mm)	2.5 in (6.3 cm)	60/oz	Bright	7.5-8.5 oz	JMBT-BULKLG

D. Large Bracelet - Heavy Duty - Stainless Steel

Wire	Approx. Coil	Approx. Coils		Pack Size	
Diameter	Diameter	Per Pack	Color	Ounce	Part #
.036 in (0.91 mm)	2.5 in (6.3 cm)	33	Bright	1 oz	JMHBT-1ZLG
.036 in (0.91 mm)	2.5 in (6.3 cm)	33/oz	Bright	7.5-8.5 oz	JMHBT-BULKLG

E. Extra Large Bracelet - Stainless Steel

Wire Diameter	Approx. Coil Diameter	Approx. Coils Per Pack	Color	Pack Size Ounce	Part#
.025 in (0.64 mm)	2.8 in (7.1 cm)	52	Bright	1 oz	JMBT-1ZXLG
.025 in (0.64 mm)	2.8 in (7.1 cm)	52/07	Bright	7.5-8.5.07	IMBT-BUI KXI G



F. Necklace - Stainless Steel


Wire	Approx. Coil	Approx. Coils		Pack Size	
Diameter	Diameter	Per Pack	Color	Ounce	Part #
.025 in (0.64 mm)	3.8 in (9.7 cm)	36	Bright	1 oz	JMNT-1Z
.025 in (0.64 mm)	3.8 in (9.7 cm)	36/oz	Bright	7.5-8.5 oz	JMNT-BULK

G. Large Necklace - Stainless Steel

Wire	Approx. Coil	Approx. Coils		Pack Size	
Diameter	Diameter	Per Pack	Color	Ounce	Part#
.025 in (0.64 mm)	4.75 in (12.1 cm)	33	Bright	1 oz	JMNT-1ZLG
.025 in (0.64 mm)	4.75 in (12.1 cm)	33/oz	Bright	7.5-8.5 oz	JMNT-BULKLG

Memory Wire Shears

Beadalon Memory Wire Shears come in three styles - designer, classic, and pocket sized. Specially designed for cutting hard wire, these shears feature hardened 90° jaws to slice effortlessly through spring-tempered wire. Shears leave a clean, safe-to-handle straight edge on Remembrance and Steel Memory Wire.













BULK PACK

NECKLACE 3.63"- 4.00" 9.2 cm-10.2 cm

> G LG. NECKLACE 4.00"- 4.50" 10.2 cm-11.4 cm

FINISHING MEMORY WIRE



Glue it with BeadFix Adhesive (p. 56).



Loop with Round Nose Pliers (p. 86-100).



Use a Memory Wire Scrimp End (p. 62)



Use Memory Wire Finishing Pliers (p. 93)

© Beadalon 2025



WRAPPING WIRES

These Wires are the perfect temper for Component Making, Binding 1/2 Round Wire onto Square Wire, Square on Square Stone Setting with Wire, Bail Making, Ring Making, and more!





	MADE IN USA	MADE IN USA			GERMAN	STYLE WIF	RE		
					0.574				
	Binding Wire	T316L Stainless Steel	Silver Plated	Gold Color (tarnish resistant brass)	Copper	Hematite Color	Antique Brass Color	Rose Gold Color	Satin Gold Color
ROUND	Diameters .008, .010, .012, .016, .020, .025	Gauges 16, 18, 20, 22, 24, 26	Gauges 14, 16, 18, 20, 22, 24, 26	Gauges 14, 16, 18, 20, 22, 24, 26	Gauges 20, 22, 24, 26	Gauges 20, 22, 24, 26	Gauges 20, 22, 24, 26	Gauge 20	Gauges 18, 20, 22, 24
1/2 ROUND		Gauges 18, 20, 21, 22	Gauges 18, 20, 21,22	Gauges 20, 21, 22	21 Gauge Practice Kit		Gauges 20, 21,22	Gauge 20	
SQUARE		Gauges 18, 20, 21, 22, 24	Gauges 18, 20, 21, 22, 24	Gauges 18, 20, 21, 22, 24	21 Gauge Practice Kit		Gauges 20, 21, 22, 24	Gauge 20	



Beadalon uses the Brown and Sharpe (AWG) wire gauge standard for sizing Brass, Copper, and Stainless Steel wires.

Binding Wire

Soft temper Stainless Steel Type 304 wire is perfect for holding parts together for soldering and plating. Use the smallest size (0.20mm/.008") for making twisted wire needles for stringing. This wire has a diamond die bright clean finish, and it will not contaminate pickling solutions. Made in USA by Beadalon.

Actual Size	Diameter	Spool Weight	Approx. Length ft	Part#
	.008 in (0.20 mm)	8 oz (226 g)	2,915	JB0080
	.010 in (0.25 mm)	8 oz (226 g)	1,965	JB0100
	.012 in (0.32 mm)	8 oz (226 g)	1,165	JB0125
	.016 in (0.41 mm)	8 oz (226 g)	725	JB0160
	.020 in (0.51 mm)	8 oz (226 g)	460	JB0200
	.025 in (0.63 mm)	8 oz (226 g)	297	JB0250

Use Binding Wire underneath it all to wrap and tighten components.





EXCLUSIVEI

Round, 1/2 Round, & Square 316L Stainless Steel Wire

Made of Type 316L Stainless Steel, this specially tempered wire has a unique feel compared to other half-hard materials such as Gold-filled or Sterling Silver, and is stronger. Available in classic Round, 1/2 Round, and Square shapes necessary for wire-wrapping. Ideal for all types of wire-wrapping, weightbearing designs, and binding designs together. Stainless Steel is hard and will work harden faster than other wires, and resembles the finish of vintage platinum. Made in USA by Beadalon.

Round Wire

Actual				
Size	Gauge	Diameter	Length	Part#
•	16	.050 in (1.3 mm)	5.74 ft (1.75 m)	180S-016
•	18	.040 in (1.0 mm)	11.4 ft (3.5 m)	180S-018
•	20	.032 in (0.81 mm)	19.7 ft (6.0 m)	180S-020
•	22	.025 in (0.64 mm)	32.8 ft (10.0 m)	180S-022
	24	.020 in (0.51 mm)	39.4 ft (12.0 m)	180S-024
-	26	.016 in (0.41 mm)	65.6 ft (20.0 m)	1805-026
•	18	.040 in (1.0 mm)	1/4 lb Spool	180S-018-Q
•	20	.032 in (0.81 mm)	1/4 lb Spool	180S-020-Q
-	22	.025 in (0.64 mm)	1/4 lb Spool	180S-022-Q
-	24	.020 in (0.51 mm)	1/4 lb Spool	180S-024-Q
	26	.016 in (0.41 mm)	1/4 lb Spool	180S-026-Q

■ 1/2 Round Wire

Actual Size	Gauge	Diameter	Length	Part#
	18	.040 x .020 in (1.0 x 0.50 mm)	17.2 ft (5.25 m)	180S-118
	20	.032 x .016 in (0.81x 0.40 mm)	29.5 ft (9.0 m)	180S-120
	21	.028 x .014 in (0.71 x 0.35 mm)	39.3 ft (12.0 m)	180S-121
	22	.025 x .012 in (0.64 x 0.32 mm)	49.2 ft (15.0 m)	180S-122
	20	.032x.016 in (0.81x0.40 mm)	1/4 lb Spool	180S-120-Q
	21	.028 x .014 in (0.71 x 0.35 mm)	1/4 lb Spool	180S-121-Q
	22	.025 x .012 in (0.64 x 0.32 mm)	1/4 lb Spool	180S-122-Q

Square Wire

Actual Size	Gauge	Diameter	Length	Part#
	18	.040 in (1.0 mm)	5.74 ft (1.75 m)	180S-218
	20	.032 in (0.81 mm)	9.8 ft (3.0 m)	180S-220
-	21	.028 in (0.71 mm)	14.8 ft (4.5 m)	180S-221
	22	.025 in (0.64 mm)	21.3 ft (6.5 m)	180S-222
0	24	.020 in (0.51 mm)	32.8 ft (10.0 m)	180S-224
	18	.040 in (1.0 mm)	1/4 lb Spool	180S-218-Q
-	20	.032 in (0.81 mm)	1/4 lb Spool	180S-220-Q
-	21	.028 in (0.71 mm)	1/4 lb Spool	180S-221-Q
	22	.025 in (0.64 mm)	1/4 lb Spool	180S-222-Q
	24	.020 in (0.51 mm)	1/4 lb Spool	180S-224-Q

26 Gauge T316L Round Wire & Raw Black Diamonds





Stainless Steel



Available Shapes









WIRE SHAPES - SUGGESTED USES

Round



Used for open and closed loop wire wrapping, twisting, coiling, wire forming, and flattening.

1/2 Round



Primarily used for banding around square wire. It can also be used for covering round wire, either with the curved or flat side out.

Square



Typically used as the base of wire wrapped designs to hold stones that are banded together with 1/2 Round wire. Banding can also be done with Square wire

1/2 Round and Square Wires are the cornerstone of component and stone setting.



T316L Stainless Steel resembles the look of vintage platinum.



GERMAN STYLE WIRE VS. 316L STAINLESS STEEL

316L Stainless Steel should be used for its color and where structural strength is necessary. 316L Stainless Steel is much harder than German Style wire - even the smallest gauges of wire are extremely strong and make it possible for an experienced wire wrapper to achieve different structural ideas. The look and durability of 316L Stainless Steel is a big draw for experienced wire artists.





Use Wire Banding Pliers (p. 92) to create the perfect size double right angle bend on 1/2 Round or Square Wires every time!



Our full line of 1/4 and 1 lb spools of German Style Wire provide a great value!







German Style Wire - Round

German Style Wire is excellent quality shaping wire, available in several gauges and shapes, and has the perfect medium temper and finish for most jewelry wire wrapping uses. All German Style Wires are tarnish-resistant coated copper, with the exception of gold color, which is tarnish-resistant brass.

Round

Size	Gauge	Diameter	Plating/Color	Length	Part#
JIEC	14	.064 in (1.6 mm)	Silver Plated	4.3 ft (1.3 m)	180B-014
	16	.050 in (1.3 mm)	Silver Plated	7.2 ft (2.2 m)	180B-016
	18	.040 in (1.0 mm)	Silver Plated	13.1 ft (4.0 m)	180B-018
	20	.032 in (0.81 mm)	Silver Plated	19.7 ft (6.0 m)	180B-020
	22	.025 in (0.64 mm)	Silver Plated	32.8 ft (10.0 m)	180B-022
	24	.020 in (0.51 mm)	Silver Plated	39.4 ft (12.0 m)	180B-024
	26	.016 in (0.41 mm)	Silver Plated	65.6 ft (20.0 m)	180B-026
	18	.040 in (1.0 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-018-0
	20	.032 in (0.81 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-020-0
	22	.025 in (0.64 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-022-0
	24	.020 in (0.51 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-024-0
	26	.016 in (0.41 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-026-0
	20	022 in (0.91 mm)	Silver Plated	1 lb (0.45 kg)	1000_020_11
	20	.032 in (0.81 mm)	Silver Plated	1 lb (0.45 kg)	180B-020-1L
	22	.025 in (0.64 mm)	Silver Flateu	1 lb (0.45 kg)	180B-022-1I
_	20	.032 in (0.81 mm)	Copper	19.7 ft (6.0 m)	180CU-020
_	22	.025 in (0.64 mm)	Copper	32.8 ft (10.0 m)	180CU-022
	24	.020 in (0.51 mm)	Copper	39.4 ft (12.0 m)	180CU-024
	26	.016 in (0.41 mm)	Copper	65.6 ft (20.0 m)	180CU-026
				4075/40	4000000
	20	.032 in (0.81 mm)	Hematite Color	19.7 ft (6.0 m)	180C-020
	22	.025 in (0.64 mm)	Hematite Color	32.8 ft (10.0 m)	180C-022
	24	.020 in (0.51 mm)	Hematite Color	39.4 ft (12.0 m)	180C-024
	26	.016 in (0.41 mm)	Hematite Color	65.6 ft (20.0 m)	180C-026
	20	.032 in (0.81 mm)	Antique Brass Color	19.7 ft (6.0 m)	180R-020
	22	.025 in (0.64 mm)	Antique Brass Color	32.8 ft (10.0 m)	180R-022
	24	.020 in (0.51 mm)	Antique Brass Color	39.4 ft (12.0 m)	180R-024
	26	.016 in (0.41 mm)	Antique Brass Color	65.6 ft (20.0 m)	180R-026
			•		
	20	.032 in (0.81 mm)	Rose Gold Color	19.7 ft (6.0 m)	180L-020
	18	.040 in (1.0 mm)	Satin Gold Color	9.8 ft (3.0 m)	180AS-018
	20	.032 in (0.81 mm)	Satin Gold Color	13.1 ft (4.0 m)	180AS-020
	22	.025 in (0.64 mm)	Satin Gold Color	19.7 ft (6.0 m)	180AS-022
	24	.020 in (0.51 mm)	Satin Gold Color	26.2 ft (8.0 m)	180AS-024
0				,	
KOU		n-Resistant Coated Bi		4.2 (4.1.2)	1004 014
	14	.064 in (1.6 mm)	Gold Color	4.3 ft (1.3 m)	180A-014
	16	.050 in (1.3 mm)	Gold Color	7.2 ft (2.2 m)	180A-016
	18	.040 in (1.0 mm)	Gold Color	13.1 ft (4.0 m)	180A-018
	20	.032 in (0.81 mm)	Gold Color	19.7 ft (6.0 m)	180A-020
	22	.025 in (0.64 mm)	Gold Color	32.8 ft (10.0 m)	180A-022
	24	.020 in (0.51 mm)	Gold Color	39.4 ft (12.0 m)	180A-024
	26	.016 in (0.41 mm)	Gold Color	65.6 ft (20.0 m)	180A-026
	18	.040 in (1.0 mm)	Gold Color	1/4 lb (0.11 kg)	180A-018-0
	20	.032 in (0.81 mm)	Gold Color	1/4 lb (0.11 kg)	180A-020-0
	22	.025 in (0.64 mm)	Gold Color	1/4 lb (0.11 kg)	180A-022-0
	24	.020 in (0.51 mm)	Gold Color	1/4 lb (0.11 kg)	180A-024-0
	26	.016 in (0.41 mm)	Gold Color	1/4 lb (0.11 kg)	180A-026-0
					10077 020 (
	20	.032 in (0.81 mm)	Gold Color	1 lb (0.45 kg)	180A-020-1L
	22	.025 in (0.64 mm)	Gold Color	1 lb (0.45 kg)	180A-022-1L

Once perfected, wire wrapping techniques can be used to encase anything from cabochons to faceted gemstones!

1/2 Round & Square German Style Wire

1/2 Round

1/2 Round, Tarnish-Resistant Coated Copper Wire

Actual					
Size	Gauge	Diameter	Plating/Color	Length	Part #
_	18	.040 x .020 in (1.0 x 0.50 mm)	Silver Plated	6.5 ft (2.0 m)	180B-118
	20	.032 x .016 in (0.81x 0.40 mm)	Silver Plated	9.8 ft (3.0 m)	180B-120
	21	.028 x .014 in (0.71 x 0.35 mm)	Silver Plated	13.1 ft (4.0 m)	180B-121
	22	.025 x .012 in (0.64 x 0.32 mm)	Silver Plated	16.4 ft (5.0 m)	180B-122
	20	.032 x .016 in (0.81x 0.40 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-120-Q
	22	.025 x .012 in (0.64 x 0.32 mm)	Antique Brass Color	16.4 ft (5.0 m)	180R-122
	20	.032 x .016 in (0.81x 0.40 mm)	Rose Gold Color	9.8 ft (3.0 m)	180L-120
1/2 R	ound, Ta	rnish-Resistant Coated Brass V	Vire		
_	20	.032 x .016 in (0.81x 0.40 mm)	Gold Color	9.8 ft (3.0 m)	180N-120
	22	.025 x .012 in (0.64 x 0.32 mm)	Gold Color	16.4 ft (5.0 m)	180N-122
_	20	.032 x .016 in (0.81x 0.40 mm)	Gold Color	1/4 lb (0.11 kg)	180N-120-Q

Square

Square, Tarnish-Resistant Coated Copper Wire

Actual					
Size	Gauge	Diameter	Plating/Color	Length	Part #
	18	.040 in (1.0 mm)	Silver Plated	4.1 ft (1.25 m)	180B-218
	20	.032 in (0.81 mm)	Silver Plated	6.5 ft (2.0 m)	180B-220
_	21	.028 in (0.71 mm)	Silver Plated	8.2 ft (2.5 m)	180B-221
	22	.025 in (0.64 mm)	Silver Plated	11.5 ft (3.5 m)	180B-222
	24	.020 in (0.51 mm)	Silver Plated	13.1 ft (4.0 m)	180B-224
	18	.040 in (1.0 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-218-Q
	20	.032 in (0.81 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-220-Q
	21	.028 in (0.71 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-221-Q
	22	.025 in (0.64 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-222-Q
	24	.020 in (0.51 mm)	Silver Plated	1/4 lb (0.11 kg)	180B-224-Q
	20	.032 in (0.81 mm)	Antique Brass Color	6.5 ft (2.0 m)	180R-220
	22	.025 in (0.64 mm)	Antique Brass Color	11.5 ft (3.5 m)	180R-222
	20	.032 in (0.81 mm)	Rose Gold Color	6.5 ft (2.0 m)	180L-220
Square	, Tarnish-I	Resistant Coated Bras	ss Wire		
	20	.032 in (0.81 mm)	Gold Color	6.5 ft (2.0 m)	180N-220
	22	.025 in (0.64 mm)	Gold Color	11.5 ft (3.5 m)	180N-222
	20	.032 in (0.81 mm)	Gold Color	1/4 lb (0.11 kg)	180N-220-Q


1/2 Round & Square Copper Practice Wire Kit

1/2 Round and Square Bare Copper Wire

21 .028 in (0.71 mm) Copper 16.4 ft (5.0 m) 180CU-342	180(U-34)	- 180CU-347	Shape G	auge 21	.028 x .014 in (0.71 x 0.35 mm)	Material Copper	9.8 ft (3.0 m)	Part #
								180CU-342
313								
								3



EXCLUSIVEI




How to Use:

Round Wire

The lessons in this booklet illustrate the principle wire wrapping techniques and how they are used to make loops, links, wrapped beads, and more using round wire.

Part # JBKWIRE01

EXCLUSIVE!



How to Use:

■ 1/2 Round Wire

Square Wire

The lessons in this booklet will help you develop the vital skills needed to wire-wrap practically any type of object or stone using Square and 1/2 Round Wire!

Part #
JBKWIRE02





- Value priced, quality craft wire
- Available in the most popular metal colors and sizes
- Tarnish-resistant coating



ColourCraft Wire

Beadalon ColourCraft Wire is a dead-soft copper wire to use for wire wrapping and general crafts. Available in the most popular variety of gauges, colors, spools, and coils, this economically priced craft wire is great for many DIY projects.

ColourCraft - Spools

. (Gauge	Size inch	Size mm	Color	Retail Spool Length	Part Number
	16	.050	1.30	Silver Plated	8 yd (7.3 m)	185B-016
	18	.040	1.00	Silver Plated	10 yd (9.1 m)	185B-018
	20	.032	0.81	Silver Plated	15 yd (13.8 m)	185B-020
	22	.025	0.64	Silver Plated	20 yd (18.3 m)	185B-022
	24	.020	0.51	Silver Plated	30 yd (27.4 m)	185B-024
	26	.016	0.41	Silver Plated	34 yd (31 m)	185B-026
	28	.013	0.33	Silver Plated	40 yd (36.5 m)	185B-028
	16	.050	1.30	Brass Light	8 yd (7.3 m)	185R-016
	18	.040	1.00	Brass Light	10 yd (9.1 m)	185R-018
	20	.032	0.81	Brass Light	15 yd (13.8 m)	185R-020
	22	.025	0.64	Brass Light	20 yd (18.3 m)	185R-022
	24	.020	0.51	Brass Light	30 yd (27.4 m)	185R-024
	26	.016	0.41	Brass Light	34 yd (31 m)	185R-026
	28	.013	0.33	Brass Light	40 yd (36.5 m)	185R-028
	16	.050	1.30	Copper Color	8 yd (7.3 m)	185CU-016
	18	.040	1.00	Copper Color	10 yd (9.1 m)	185CU-018
	20	.032	0.81	Copper Color	15 yd (13.8 m)	185CU-020
	22	.025	0.64	Copper Color	20 yd (18.3 m)	185CU-022
	24	.020	0.51	Copper Color	30 yd (27.4 m)	185CU-024
	26	.016	0.41	Copper Color	34 yd (31 m)	185CU-026
	28	.013	0.33	Copper Color	40 yd (36.5 m)	185CU-028
k	16	.050	1.30	Rose Gold Color Silver Plated	8 yd (7.3 m)	185RG-016
2	18	.040	1.00	Rose Gold Color Silver Plated	10 yd (9.1 m)	185RG-018
	20	.032	0.81	Rose Gold Color Silver Plated	15 yd (13.8 m)	185RG-020
	22	.025	0.64	Rose Gold Color Silver Plated	20 yd (18.3 m)	185RG-022
4	24	.020	0.51	Rose Gold Color Silver Plated	30 yd (27.4 m)	185RG-024
1	26	.016	0.41	Rose Gold Color Silver Plated	34 yd (31 m)	185RG-026
	28	.013	0.33	Rose Gold Color Silver Plated	40 yd (36.5 m)	185RG-028
	16	.050	1.30	Vintage Bronze Color	8 yd (7.3 m)	185VB-016
3	18	.040	1.00	Vintage Bronze Color	10 yd (9.1 m)	185VB-018
6	20	.032	0.81	Vintage Bronze Color	15 yd (13.8 m)	185VB-020
Y	22	.025	0.64	Vintage Bronze Color	20 yd (18.3 m)	185VB-022
h	24	.020	0.51	Vintage Bronze Color	30 yd (27.4 m)	185VB-024
-	26	.016	0.41	Vintage Bronze Color	34 yd (31 m)	185VB-026
No. of Lot	28	.013	0.33	Vintage Bronze Color	40 yd (36.5 m)	185VB-028
2	16	.050	1.30	Gold Color	8 yd (7.3 m)	185A-016
	18	.040	1.00	Gold Color	10 yd (9.1 m)	185A-018
	20	.032	0.81	Gold Color	15 yd (13.8 m)	185A-020
	22	.025	0.64	Gold Color	20 yd (18.3 m)	185A-022
	24	.020	0.51	Gold Color	30 yd (27.4 m)	185A-024
	26	.016	0.41	Gold Color	34 yd (31 m)	185A-026
	28	.013	0.33	Gold Color	40 yd (36.5 m)	185A-028
	16	.050	1.30	Silver Color	8 yd (7.3 m)	185SC-016
	18	.040	1.00	Silver Color	10 yd (9.1 m)	185SC-018
	20	.032	0.81	Silver Color	15 yd (13.8 m)	185SC-020
	22	.025	0.64	Silver Color	20 yd (18.3 m)	185SC-022
	24	.020	0.51	Silver Color	30 yd (27.4 m)	185SC-024
	26	.016	0.41	Silver Color	34 yd (31 m)	185SC-026
	28	.013	0.33	Silver Color	40 yd (36.5 m)	185SC-028
	16	.050	1.30	Black	8 yd (7.3 m)	185BK-016
	18	.040	1.00	Black	10 yd (9.1 m)	185BK-018
	20	.032	0.81	Black	15 yd (13.8 m)	185BK-020
	22	.025	0.64	Black	20 yd (18.3 m)	185BK-022
	24	.020	0.51	Black	30 yd (27.4 m)	185BK-024
	26	.016	0.41	Black	34 yd (31 m)	185BK-026
	28	.013	0.33	Black	40 yd (36.5 m)	185BK-028

COLOURCRAFT COILS COLOR CHART

ColourCraft - Coils

Gauge	Size inch	Size mm	Color	Coil Length	Part Number
16	.050	1.30	Gold Color	2.3 yd (2.1 m)	186A-016
20	.032	0.81	Gold Color	8 yd (7.3 m)	186A-020
22	.025	0.64	Gold Color	10 yd (9.1 m)	186A-022
26	.016	0.41	Gold Color	30 yd (27.4 m)	186A-026
16	.050	1.30	Copper Color	2.3 yd (2.1 m)	186CU-016
18	.040	1.00	Copper Color	3 yd (2.7 m)	186CU-018
20	.032	0.81	Copper Color	8 yd (7.3 m)	186CU-020
22	.025	0.64	Copper Color	10 yd (9.1 m)	186CU-022
26	.016	0.41	Copper Color	30 yd (27.4 m)	186CU-026
20	.010	0.41	соррег сою	30 yu (27.4111)	10000 020
16	.050	1.30	Silver Color	2.3 yd (2.1 m)	186SC-016
18	.040	1.00	Silver Color	3 yd (2.7 m)	186SC-018
20	.032	0.81	Silver Color	8 yd (7.3 m)	186SC-020
22	.025	0.64	Silver Color	10 yd (9.1 m)	186SC-022
26	.016	0.41	Silver Color	30 yd (27.4 m)	186SC-026
20	.032	0.81	Black	8 yd (7.3 m)	186BK-020
26	.016	0.41	Black	30 yd (27.4 m)	186BK-026
20	022	0.04	<u> </u>	0 1/72)	406011 020
20	.032	0.81	Brown	8 yd (7.3 m)	186BN-020
26	.016	0.41	Brown	30 yd (27.4 m)	186BN-026
20	.032	0.81	Graphite	8 yd (7.3 m)	186GM-020
22	.025	0.64	Graphite	10 yd (9.1 m)	186GM-022
26	.016	0.41	Graphite	30 yd (27.4 m)	186GM-026
20	.032	0.81	Red	8 yd (7.3 m)	186RD-020
26	.016	0.41	Red	30 yd (27.4 m)	186RD-026
				, , ,	
20	.032	0.81	Dark Green	8 yd (7.3 m)	186DGN-020
22	.025	0.64	Dark Green	10 yd (9.1 m)	186DGN-022
26	.016	0.41	Dark Green	30 yd (27.4 m)	186DGN-026
20	.032	0.81	Rose Gold Color	8 yd (7.3 m)	186RGC-020
26	.016	0.41	Rose Gold Color	30 yd (27.4 m)	186RGC-026
20	022	0.04	D. I.D.	0 1/72)	104000 020
20	.032	0.81	Dark Blue	8 yd (7.3 m)	186DBL-020
26	.016	0.41	Dark Blue	30 yd (27.4 m)	186DBL-026
20	.032	0.81	Pink (Silver Plated)	8 yd (7.3 m)	186SPK-020
22	.025	0.64	Pink (Silver Plated)	10 yd (9.1 m)	186SPK-022
26	.016	0.41	Pink (Silver Plated)	30 yd (27.4 m)	186SPK-026
20	.032	0.81	Grey (Silver Plated)	8 yd (7.3 m)	186SGR-020
22	.025	0.64	Grey (Silver Plated)	10 yd (9.1 m)	186SGR-022
	.023	V.UT	Grey (Shiver Fluteu)	.0 , 4 (2.1 111)	1003411 022
20	.032	0.81	Grape (Silver Plated)	8 yd (7.3 m)	186SGP-020
22	.025	0.64	Grape (Silver Plated)	10 yd (9.1 m)	186SGP-022
22	.025	0.64	Sea Green (Silver Plated)	10 yd (9.1 m)	186SSG-022
22	.025	0.64	Sapphire (Silver Plated)	10 yd (9.1 m)	186SSA-022
20	.032	0.81	Matte Silver Color (Silver Plated)	8 yd (7.3 m)	186SCM-020
26	.016	0.41	Matte Silver Color (Silver Plated)	30 yd (27.4 m)	186SCM-026













(Silver Plated)

(Silver Plated)







Standard Colors

Artistic Wire is available in the largest selection of colors and gauges, and in the widest range of packaging choices. Choose colors that complement one another to achieve warm, colorful designs. Or, make a statement and add drama to your designs by using contrasting colors. The only limit in working with colored wire is your imagination.



For design help and instructions, please refer to our website or conveniently scan the QR code.

Artistic Wire Standard Colors By Gauge														
Color No.	Color	10 Gauge	12 Gauge	14 Gauge	16 Gauge	18 Gauge	20 Gauge	22 Gauge	24 Gauge	26 Gauge	28 Gauge	30 Gauge	32 Gauge	34 Gauge
01	Aqua													
02	Black													
03B	Dark Blue													
04	Powder Blue													
05	Brown													
06	Green													
07	Kelly Green													
08	Lavender													
09	Magenta													
09	Magenta													
10	Natural													
13	Purple													
14	Red													
16	Turquoise													
21	Grey													
23	Burgundy													
	Antique Brass Formerly Gun Metal													
26	Olive													
NIB	Tarnish Resistant Brass Resembles 14 kt Gold													
TC	Tinned Copper													
SS	Stainless Steel**													
ВС	Bare Copper*													
AC	Antique Copper*				7					., .				
	*Bare Copper and Antique Stainless Steel is T304 St	Copper do not	nave a tarnish . not connor .Ch	resistant coatir	ig. These wires	will patina, or	naturally oxidi	ze and darken	with time, to pr	ovide a vintagi	2 100k.			





Mini Bobbin

Prefix: AWS

The Widest Range of Packaging!



Convenient Dispenser Pack! Simply open the back of the pack, feed the wire through the hole, and close it for convenient wire delivery.

NEW blue colored packaging!



Dispenser Pack Prefix: AWD



Retail Spool Prefix: AWS



1/4 lb. Spool Prefix: AW1



5 ft, 10 ft, & 25 ft **Header Bag** Prefix: AWB

	Standard Colors											
	GAUGES	/DIAMETER	S	PACKAGE	LENGTHS	-	В	JLK LENGTHS				
Gauge	Diameter inch	Diameter mm	Actual Size	Dispenser Pack Length	Retail Spool Length	Short Coil Bag	Long Coil Bag	1/4 lb Spool Length	Feet Per Pound	Meters Per Kilo		
10	.100	2.60		n/a	n/a	5 ft (1.5 m)	25 ft (7.6 m)	n/a	n/a	n/a		
12	.080	2.10		n/a	n/a	10 ft (3.1 m)	25 ft (7.6 m)	n/a	n/a	n/a		
14	.060	1.60		n/a	n/a	10 ft (3.1m)	25 ft (7.6 m)	n/a	n/a	n/a		
16	.050	1.30		n/a	n/a	10 ft (3.1 m)	25 ft (7.6 m)	n/a	n/a	n/a		
18	.040	1.00		4 YD (3.6 m)	10 YD (9.1 m)	n/a	n/a	52 ft (16 m)	209	140		
20	.032	0.81		6 YD (5.5 m)	15 YD (13.7 m)	n/a	n/a	79 ft (24 m)	317	213		
22	.025	0.64		8 YD (7.3 m)	15 YD (13.7 m)	n/a	n/a	124 ft (38 m)	495	332		
24	.020	0.51		10 YD (9.1 m)	20 YD (18.2 m)	n/a	n/a	205 ft (63 m)	822	552		
26	.016	0.41		15 YD (13.7 m)	30 YD (27.4 m)	n/a	n/a	311 ft (95 m)	1,243	829		
28	.013	0.33		15 YD (13.7 m)	40 YD (36.5 m)	n/a	n/a	523 ft (159 m)	2,091	1,405		
30	.010	0.25		30 YD (27.4 m)	50 YD (45.7 m)	n/a	n/a	677 ft (206 m)	2,706	1,818		
32	.007	0.18		30 YD (27.4 m)	100 YD (91.4 m)	n/a	n/a	767 ft (234 m)	3,067	2,060		
34	.006	0.15		30 YD (27.4 m)	125 YD (114.3 m)	n/a	n/a	1,150 ft (351 m)	4,600	3,091		
34			ıl D	, ,	125 YV (114.3 III)	-		1,150 It (351 III)		1,091		

Beadalon uses the Brown and Sharpe (AWG) wire gauge standard for sizing Brass, Copper, and Stainless Steel wires.

The Largest Selection

of Colors & Gauges!



Largest Selection of Viorant Silver Plated Colors & Gauges!

Silver Plated Colors

Artistic Wire is available in the largest selection of exclusive Silver Plated colors and gauges that offer striking beauty and shine. These wires are made by first plating the copper wire with a precision layer of pure silver. Then we carefully apply our unique enamel color and tarnish resistant coating on top of this silver plating. The silver plating beneath the color adds an incredible high-shine and brilliance to the wire. Although the color swatches on this page give you a hint of these colors, they cannot capture the actual beauty and intensity that these Silver Plated wires exude.



For design help and instructions, please refer to our website or conveniently scan the QR code.

Artístic Wire Silver Plated Colors By Gauge														
Color No.	Color	10 Gauge	12 Gauge	14 Gauge	16 Gauge	18 Gauge	20 Gauge	22 Gauge	24 Gauge	26 Gauge	28 Gauge	30 Gauge	32 Gauge	34 Gauge
501	Peacock Blue													
502	Rose													
503	Gold Color Resembles 18 k Gold	The second secon	1000	The second secon		A STATE OF THE STA				A STATE OF THE STA		1000		
506	Silver Blue													
507	Orchid													
509	Seafoam Green													
510	Tarnish Resistant Silver													1
511	Tangerine													
512	Lemon													
513	Christmas Green													
514	Peach													
515	Fuchsia													
516	Ice Blue													
517	Chartreuse													
518	Amethyst													
519	Hematite													
521	Rose Gold													
522	Champagne									44				
523	Pearl Silver													
524	White													





Artistic Wire colors are very consistent, though perfect color matching is not always possible. When comparing different gauges of the same color Artistic Wire, some color variation may be noticeable. Some Artistic Wire hues have a tint range within ±10%, which we consider acceptable.

					Silver Pla	ted Color	s			
	GAUGES	DIAMETERS	5	PACKAGE	LENGTHS		BU	JLK LENGTHS		
Gauge	Diameter inch	Diameter mm	Actual Size	Dispenser Pack Length	Retail Spool Length	Short Coil Bag	Long Coil Bag	1/4 lb Spool Length	Feet Per Pound	Meter Per Kilo
10	.100	2.60		n/a	n/a	5 ft (1.5 m)	25 ft (7.6 m)	n/a	n/a	n/a
12	.080	2.10		n/a	n/a	10 ft (3.1 m)	25 ft (7.6 m)	n/a	n/a	n/a
14	.060	1.60		n/a	n/a	10 ft (3. 1m)	25 ft (7.6 m)	n/a	n/a	n/a
16	.050	1.30		n/a	n/a	10 ft (3.1 m)	25 ft (7.6 m)	n/a	n/a	n/a
18	.040	1.00		4 YD (3.6 m)	20 ft (6.1 m)	n/a	n/a	52 ft (16 m)	209	140
20	.032	0.81		6 YD (5.5 m)	25 ft (7.6 m)	n/a	n/a	79 ft (24 m)	317	213
22	.025	0.64		8 YD (7.3 m)	10 YD (9.1 m)	n/a	n/a	124 ft (38 m)	495	332
24	.020	0.51		10 YD (9.1 m)	15 YD (13.7 m)	n/a	n/a	205 ft (63 m)	822	552
26	.016	0.41		15 YD (13.7 m)	30 YD (27.4 m)	n/a	n/a	311 ft (95 m)	1,243	829
28	.013	0.33		15 YD (13.7 m)	40 YD (36.5 m)	n/a	n/a	523 ft (159 m)	2,091	1,40
30	.010	0.25		30 YD (27.4 m)	n/a	n/a	n/a	677 ft (206 m)	2,706	1,818
32	.007	0.18		30 YD (27.4 m)	n/a	n/a	n/a	767 ft (234 m)	3,067	2,060
34	.006	0.15		30 YD (27.4 m)	n/a	n/a	n/a	1,150 ft (351 m)	4,600	3,09



multicolor

ARTISTIC WIRE MULTICOLOR



Black



Pink/Black

Green







Artistic Wire - MultiColor **EXCLUSIVEI**

The Artistic Wire MultiColor wires incorporate a repeating pattern of 3 colors to create a beautiful ombré pattern. Use this effect to create beautiful groupings of color with herringbone or conventional wire wrapping. Also looks fantastic in coiled wire beads.

Gauge	Diameter inch	Diameter mm	Colors	Coil Pack Length	Part Number
20	.032	0.81	Red/Gold/Black	4 yd (3.6 m)	AWD-20-81-04YD
20	.032	0.81	Silver/Gold/Black	4 yd (3.6 m)	AWD-20-82-04YD
20	.032	0.81	Silver/Black/Green	4 yd (3.6 m)	AWD-20-83-04YD
20	.032	0.81	Pink/Black/Green	4 yd (3.6 m)	AWD-20-85-04YD
20	.032	0.81	Blue/Red/Gold	4 yd (3.6 m)	AWD-20-86-04YD
20	.032	0.81	Brown/Green/Gold	4 yd (3.6 m)	AWD-20-88-04YD

Three bold colors are combined in a repeating gradient pattern to create this gorgeous wire!



Twisted Artistic Wire **EXCLUSIVEI**

Give your designs a twist with Artistic Wire Twisted! Three strands of Artistic Wire are twisted together to make a truly unique textured wire. Use this wire in your designs to add an interesting appearance and feel. Feature Artistic Wire Twisted in your next design to make a statement and add drama.

	Diameter	Diameter	Dispenser (AWD)	Tarnish Resistant Retail (AWS)	All Other Colors Retail (AWS)
Gauge	inch	mm	Pack Length	Spool Length	Spool Length
18	.040	1.00	2 yd (1.82 m)	10 ft (3.05 m)	5 yd (4.57 m)
20	.032	0.81	3 yd (2.75 m)	12 ft (3.65 m)	8 yd (7.31 m)
22	.025	0.64	4 yd (3.65 m)	5 yd (4.57 m)	8 yd (7.31 m)
24	.020	0.51	5 yd (4.57 m)	7 yd (6.40 m)	10 yd (9.14 m)

For a complete list of Artistic Wire Part Numbers, please refer to the price list.





ARTISTIC WIRE TWISTED COLORS





Tarnish Resistant Silver















Stainless Steel








Aluminum Craft Wire

Aluminum Craft Wire is another great option for larger format designs. This naturally soft tempered, 12 gauge enamel coated aluminum wire is ideal to use with the 3D Bracelet Jig and the Really Big Jig to create beautiful cuff bracelets, or you can use this wire with the Conetastic Tool to make color coordinated necklace cones and anywhere you need a light weight, heavy gauge, thick wire that is easy to bend.

Color	Length Per Coil	Gauge	Part#
Natural Aluminum	39.3 ft (12 m)	12	AWB-120100-12M
Copper Color	39.3 ft (12 m)	12	AWB-120110-12M
Gold Color	39.3 ft (12 m)	12	AWB-120120-12M
Rose	39.3 ft (12 m)	12	AWB-120130-12M
Black	39.3 ft (12 m)	12	AWB-120140-12M
Light Brown	39.3 ft (12 m)	12	AWB-120150-12M
Brown	39.3 ft (12 m)	12	AWB-120160-12M











A. Artistic Wire Buy the Dozen™

More is better, especially when it's colored Artistic Wire! Buy the Dozen gives you 12 vibrant colors, selected to go together well in any project from Jewelry to Paper Crafts. Standard Colors and Silver Plated colors are available in 20, 22, 24, 26, and 28 gauge! Buy The Dozen packages feature all one gauge per package. Provide your customers with the best vari-pack on the market. Contains 12 bobbin spools. Colors will vary by package and gauge.

	Length		Bobbins	
Description	Per Spool	Gauge	Per Pack	Part #
Standard Colors	3yd (2.7m)	20	12	AWP-20-BTD
Standard Colors	5yd (4.5m)	22	12	AWP-22-BTD
Standard Colors	5yd (4.5m)	24	12	AWP-24-BTD
Standard Colors	5yd (4.5m)	26	12	AWP-26-BTD
Standard Colors	5yd (4.5m)	28	12	AWP-28-BTD
Silver Plated	3yd (2.7m)	20	12	AWP-20S-BTD
Silver Plated	5yd (4.5m)	24	12	AWP-24S-BTD
Silver Plated	5yd (4.5m)	26	12	AWP-26S-BTD
Silver Plated	5yd (4.5m)	28	12	AWP-28S-BTD



100 pc Mini Bobbin Packs now available!











B. Artistic Wire 100 pc Mini Bobbin Packs **EXCLUSIVEI NEW!**

Artistic Wire 100 pc Mini Bobbin Packs feature all one gauge and one color per packages. These are the same style Mini Bobbins sold in "Buy the Dozen" packs. Perfect for DIY arts and crafts, jewelry-making, floral arrangements, sculpting, and other creative projects. These wires are bendable yet strong, allowing for intricate designs and lasting durability.

	Lengtn		Spools	
Color	Per Spool	Gauge	Per Pack	Part#
Tarnish Resistant Silver	3 m (9.8 ft)	20	100	AWS-20S-10-03M
Tarnish Resistant Brass	5 m (16.4 ft)	22	100	AWS-22-NTB-05M
Gold Color	5 m (16.4 ft)	22	100	AWS-22S-03-05M
Stainless Steel	5 m (16.4 ft)	22	100	AWS-22-SS-05M
Tarnish Resistant Brass	5 m (16.4 ft)	24	100	AWS-24-NTB-05M
Gold Color	5 m (16.4 ft)	24	100	AWS-24S-03-05M
Antique Brass Color	5 m (16.4 ft)	26	100	AWS-26-24-05M
Tarnish Resistant Brass	5 m (16.4 ft)	26	100	AWS-26-NTB-05M
Tarnish Resistant Silver	5 m (16.4 ft)	26	100	AWS-26S-10-05M
Tinned Copper	5 m (16.4 ft)	26	100	AWS-26-TC-05M
Tarnish Resistant Brass	5 m (16.4 ft)	30	100	AWS-30-NTB-05M
Gun Metal	10 m (32.8 ft)	28	100	AWS-28-24-10M
Tarnish Resistant Brass	10 m (32.8 ft)	28	100	AWS-28-NTB-10M
Stainless Steel	10 m (32.8 ft)	28	100	AWS-28-SS-10M
Gold Color	10 m (32.8 ft)	30	100	AWS-30S-03-10M





Flat Artistic Wire

Use this versatile tarnish resistant flat copper wire to create spirals and twists, or bend it into all kinds of shapes to create dangles, drops, bracelets, rings and even home décor items. Incorporate round Artistic Wire for a colorful design with lots of texture. These wires have a copper core with tarnish resistant color coating and are stronger than flat aluminum wire.

mm		Color	Length	Number
3.0 x 0.75	0.12 x 0.03	Tarnish Resistant Silver	3 ft (0.91 m)	AWB-21F-S10-03F
3.0 x 0.75	0.12 x 0.03	Silver Plated Gold Color	3 ft (0.91 m)	AWB-21F-S03-03F
3.0 x 0.75	0.12 x 0.03	Antique Brass	3 ft (0.91 m)	AWB-21F-24-03FT
3.0 x 0.75	0.12 x 0.03	*Bare Copper	3 ft (0.91 m)	AWB-21F-BC-03FT
3.0 x 0.75	0.12 x 0.03	Rose Gold Color	3 ft (0.91 m)	AWB-21F-S21-03F
5.0 x 0.75	0.19 x 0.03	Tarnish Resistant Silver	3 ft (0.91 m)	AWB-21F5-S10-03F
5.0 x 0.75	0.19 x 0.03	Silver Plated Gold Color	3 ft (0.91 m)	AWB-21F5-S03-03F
5.0 x 0.75	0.19 x 0.03	Antique Brass	3 ft (0.91 m)	AWB-21F5-24-03FT
5.0 x 0.75	0.19 x 0.03	*Bare Copper	3 ft (0.91 m)	AWB-21F5-BC-03FT
5.0 x 0.75	0.19 x 0.03	Rose Gold Color	3 ft (0.91 m)	AWB-21F5-S21-03F

 $^{* \}textit{Bare Copper does not have a tarnish resistant coating and will patina, or naturally oxidize with time, to provide a vintage look.}\\$



Flat Artistic Wire is sold in 3 ft (0.91 m) coils.





Use a hammer to imprint texture into Flat Artistic Wire, or try and create interesting shapes using mandrels.



Artistic Wire

15.2 cm • 6 in (3)



Flat Pattern Artistic Wire


These 6 in (15.24 cm) pieces of Flat Patterned Wire are the perfect length to use as a foundation for a cuff or bangle bracelet. Use the Bracelet Bending Pliers (p. 107) to bend it into a curved shape, punch holes with the Hole Punch Pliers (p. 104) to add dangles, or use it to bezel around a thick cabochon. This beautiful, versatile, copper core wire measures 4.6×0.58 mm (0.20×0.03 in).

Width mm	Width Inch	Pattern(s) Per Pack	Tarnish Resistant Color	Length Inch (cm)	Pieces Per Pack	Part Number
4.6 x 0.58	0.20 x 0.03	Vine	Silver	6 (15.24)	3	A361B-100
4.6 x 0.58	0.20 x 0.03	Vine, Dot, Flower	Silver	6 (15.24)	3	A361B-103
4.6 x 0.58	0.20 x 0.03	Geometric	Silver	6 (15.24)	3	A361B-104
4.6 x 0.58	0.20 x 0.03	Geometric, Line & Cross	Silver	6 (15.24)	3	A361B-107
4.6 x 0.58	0.20 x 0.03	Vine	Brass	6 (15.24)	3	A361R-100
4.6 x 0.58	0.20 x 0.03	Geometric	Brass	6 (15.24)	3	A361R-104





Design by Emily Scott







Flat Patterned Wires are the perfect length to use as a foundation for a cuff or bangle bracelet.